

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/043,420	01/10/2002	Glenn A. Fickett	9654 1.	
22864	7590 02/24/2004		EXAMINER '	
FRANK J. MCGUE 10801 N. 32ND STREET SUITE 5 PHOENIX, AZ 85028			TRAN, KHOA H	
			ART UNIT	PAPER NUMBER
·			3634	

DATE MAILED: 02/24/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

36	
_	

•	Application No.	Applicant(s)				
	10/043,420	FICKETT GLENN				
Office Action Summary	Examiner	Art Unit				
	Khoa Tran	3634				
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply						
A SHORTENED STATUTORY PERIOD FOR REPORTED MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR 1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a recommunication of the period for reply is specified above, the maximum statutory perion Failure to reply within the set or extended period for reply will, by status Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).		nely filed s will be considered timely. the mailing date of this communication. D (35 U.S.C. § 133).				
Status						
1)⊠ Responsive to communication(s) filed on 20	1)⊠ Responsive to communication(s) filed on 20 October 2003.					
2a) This action is FINAL . 2b) ☐ Th	is action is non-final.					
Disposition of Claims						
4) ⊠ Claim(s) 1,3-11,14, and 15 is/are pending in the application. 4a) Of the above claim(s) 1,3-10 and 15 is/are withdrawn from consideration. 5) □ Claim(s) is/are allowed. 6) □ Claim(s) is/are rejected. 7) ⊠ Claim(s) 11 and 14 is/are objected to. 8) □ Claim(s) are subject to restriction and/or election requirement.						
Application Papers						
9) ☐ The specification is objected to by the Examir 10) ☑ The drawing(s) filed on 20 October 2003 is/ar Applicant may not request that any objection to the Replacement drawing sheet(s) including the correction 11) ☐ The oath or declaration is objected to by the Examiration is objected to be a considered to be a considere	e: a)⊠ accepted or b)□ objected e drawing(s) be held in abeyance. See ection is required if the drawing(s) is objection	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).				
Priority under 35 U.S.C. § 119						
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 						
Attachment(s)	_					
Notice of References Cited (PTO-892) Notice of Draftsperson's Patent Drawing Review (PTO-948)	4)					
 Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08 Paper No(s)/Mail Date <u>08/07/03</u>. 		ratent Application (PTO-152)				

Application/Control Number: 10/043,420

Art Unit: 3634

Election/Restrictions

Applicant's election without traverse of species II, Figures 5, 6, 8 and 9 in Paper No. 7 is acknowledged. Accordingly, claims 1, 3-10, and 15 are withdrawn from further consideration pursuant to 37 CFR 1.142(b), as being drawn to a nonelected species. It should be noted that claims 1 and 9 are not readable on the elected species because the positive inclusion of a wall brace portion (46) extending rearward from the elongated vertical portion and adapted to engage a vertical wall. See claims 1 and 9, lines 21-23. Note that the elected species of Figure 5 does not show a wall brace portion leans against a vertical wall because of a center connector (110) connects a plurality of racks together so that no rack is leaned against a vertical wall.

Drawings

The proposed drawing correction and/or the proposed substitute sheets of drawings, filed on October 20, 2004 have been approved.

The drawings are objected to under 37 CFR 1.83(a). The drawings must show every feature of the invention specified in the claims. Therefore, a quick release pin engages with a center connector hole and a wall brace portion hole in order to secure the wall brace portion with the center connector in claim 14 must be shown or the feature canceled from the claim. No new matter should be entered.

A proposed drawing correction or corrected drawings are required in reply to the Office action.

Application/Control Number: 10/043,420

Art Unit: 3634

Claim Rejections - 35 USC § 112

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

Claims 11 and 14 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention. Claim 11 is misdescriptive and/or incorrect because it is unclear how each rack of the three modular storage supports having an L-shaped wall brace for engages with a vertical wall when these three modular storage support racks are connected by a center connector, see lines 22-26 of the claim.

Allowable Subject Matter

Claim 11 would be allowable if rewritten or amended to overcome the rejection under 35 U.S.C. 112, second paragraph, set forth in this Office action.

The following is a statement of reasons for the indication of allowable subject matter:

Claims 11 and 14 are allowable over the prior art of record because none of the prior art of record teaches or suggests a modular support system possessing the entire combination of features specified by the claims. In particular, there is no teaching or suggestion from the prior art of record of three modular storage support devices that are connected by a center connector having three of the wall brace portions at 120 degrees from other wall brace portions, see lines 4 and 37-39.

Application/Control Number: 10/043,420

Art Unit: 3634

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Khoa Tran whose telephone number is (703) 306-3437. The examiner can normally be reached on Monday through Thursday from 9:30 A.M. to 7:00 P.M.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Daniel P. Stodola, can be reached on (703) 308-2686. The fax phone number for this Group before a final Office action is (703) 872-9306 and after a final Office action is (703) 872-9327.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the Group receptionist whose telephone number is (703) 308-2168.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Khoa Tran

February 22, 2004

DANIEL P. STODOLA SUPERVISORY PATENT EXAMINER TECHNOLOGY CENTER 3600